Journal of Luminescence 53 (1992) ix–xvi
North-Holland

Contents

Preface vii

Organizing Committees viii

Section 1. Dephasing and phonon dynamics

Optical dephasing of paramagnetic ions: Er^{3+} : $YLiF_4$ – experiments and computersimulations
R.S. Meltzer, J. Ganem, Y.P. Wang, D. Boye, W.M. Yen, D.P. Landau, R. Wannemacher and R.M. Macfarlane 1

Optical studies of high-frequency nonequilibrium phonons in noncrystalline solids
A.A. Kaplyanskii, A.V. Akimov, S.A. Basun, S.P. Feofilov, E.S. Moskalenko, J. Kočka and J. Stuchlik 7

Resonantly induced refractive index changes in Eu^{3+}- and Er^{3-} doped silicate and phosphate glasses
M.M. Broer, A.J. Bruce and W.H. Grodkiewicz 15

Multiphonon nonradiative relaxation from high-lying levels of Nd^{3+} ions in fluoride and oxide laser materials
T.T. Basiev, A.Yu. Dergachev, Y.V. Orlovskii and A.M. Prokhorov 19

Dynamical electron and phonon processes in the excited state of LGO : Cr^{3+} crystals
S.A. Basun, S.P. Feofilov, A.A. Kaplyanskii, A.B. Bykov, B.K. Sevastyanov and M.Yu. Sharonov 24

Photoelectric studies of two-step photoionization of Ti^{3+} ions in oxide crystals
S.A. Basun, S.P. Feofilov, A.A. Kaplyanskii, B.K. Sevastyanov, M.Yu. Sharonov and L.S. Starostina 28

Nonequilibrium phonons in single crystal ruby fibers
S.A. Basun, S.P. Feofilov, A.A. Kaplyanskii and W.M. Yen 32

Stimulated emission and dynamic feedback of phonons in ruby
P.A. Fokker, J.I. Dijkhuis and H.W. de Wijn 35

Q-switching of phonon amplification in ruby by pulsed inhomogeneous magnetic fields
P.A. Fokker, R.S. Meltzer, J.I. Dijkhuis and H.W. de Wijn 38

Phonon propagation in YAG : Tb
U. Umhofer-Ströbel, J. Neukum, A. Grauel, J. Heber and D. Mateika 40

Phonon dynamics in YAG : Pr
X.-j. Wang, W.M. Dennis and W.M. Yen 44

Section 2. Coherence, coherent transients and spectral diffusion

Raman heterodyne studies of the nitrogen-vacancy centre in diamond
N.B. Manson, X.-F. He and P.T.H. Fisk 49

Stochastic excitation and detection of persistent spectral structures
A. Débarre, J.-C. Keller, J.-L.L. Gouët and P. Tchénio 55

Photochemically accumulated photon echoes and Stark effect
H. Gygax, E. Görlach, A. Rebane and U.P. Wild 59

Single molecule spectral diffusion in a solid detected via fluorescence spectroscopy
W.P. Ambrose, T. Basché and W.E. Moerner 62

Zeeman quantum beat in nuclear quadrupole resonance probed by Raman heterodyne spectroscopy
X.-F. He, P.T.H. Fisk and N.B. Manson 68

Raman study of the librational states in α-$Ar_x(N_2)_{1-x}$ mixed crystals
J. De Kinder, E. Goovaerts, A. Bouwen and D. Schoemaker 72

Relaxation and coherence of singlet-excitons in $NaNO_2$ crystals
J. Köhler, M. Hucke, D. Schmid, M. Ashida and R. Kato 76

Low-temperature dynamics in an ethanol glass studied by the long lived-stimulated photon echo
H.C. Meijers and D.A. Wiersma 80

Is the optical Bloch equation violated in $Pr^{3+}:LaF_3$?
T. Muramoto, Y. Takahashi and T. Hashi 84

Frequency-dependent dephasing of N-V centers in diamond
E. van Oort and M. Glasbeek 88

Optically detected magnetic resonance study of photo-excited Rh^{3+}-trisdiimine chelates
J. Westra and M. Glasbeek 92

Section 3. Relaxation in confined systems

Interplay of excitonic and phonon-mediated Stark effects in quantum wells
J.R. Kuklinski and S. Mukamel 97

Exciton superradiance in molecular crystal slabs
J. Knoester 101

Quantum size effects and optical nonlinearity of confined excitons in semiconducting microcrystallites
A. Nakamura, T. Tokizaki, H. Akiyama and T. Kataoka 105

Stability under pressure of excimer of anthracene derivatives
R.G. Della Valle and A. Brillante 110

Quantum-sized HgS in contact with quantum-sized CdS colloids
A. Eychmüller, A. Hüsselbarth and H. Weller 113

Defect dynamics in PbF_2–Eu
A. Meijerink and J.C. Wright 116

Fast decay behaviors of self-trapped exciton luminescence in ammonium halides
N. Ohno, M. Itoh and S. Hashimoto 121

Dynamics and spectroscopy of electronic excitations in molecular aggregates
P. Reineker, B. Kaiser, V. Kraus, A.M. Jayannavar and Ch. Warns 125

Temperature dependence of excitonic line shapes in disordered solids
P. Reineker and V.I. Yudson 129

Quantum chemical investigation of electronically excited states of molecular systems
P.O.J. Scherer 133

Multifractal electronic wave functions in disordered systems
H. Grussbach and M. Schreiber 137

Geometrical treatment of finite size effects in interacting systems
F. Solms, H.G. Miller and A. Plastino 143

Section 4. Ultrafast relaxation, electron transfer and tunneling

Linear electron–phonon coupling in dye–polymer systems: in search for weakly coupled systems
S. Saikan 147

Femtosecond dynamics of laser-induced phase transition of the GaAs surface layer to a centrosymmetric phase
S.V. Govorkov, V.I. Emel'yanov, N.I. Koroteev and I.L. Shumay 153

Ultrafast relaxation in conjugated polymers
T. Kobayashi 159

Single molecule spectroscopy in a solid
M. Orrit and J. Bernard 165

Exciton transfer and dephasing in polysilanes at low temperature
J.R.G. Thorne, Y.R. Kim, R.M. Hochstrasser, J.M. Zeigler, A. Tilgner and H.P. Trommsdorff 170

Electron transfer in self-organized porphyrin-quinone compounds on a picosecond time scale
U. Rempel, B. von Maltzan and C. von Borczyskowski 175

On subpicosecond excitation energy transfer in light harvesting complexes (LHC): the B800-850 LHC of *Rhodobacter sphaeroides* 2.4.1
A.P. Shreve, J.K. Trautman, H.A. Frank, T.G. Owens, J.B. van Beek and A.C. Albrecht 179

Carrier kinetics for ultrafast optical pulses
R. Zimmermann 187

Picosecond relaxation process of the excited state in hematoporphyrin derivatives using time-delayed four wave mixing with incoherent light
J.S. Zhang, X.Y. Zhang, J.L. Zhao, K. Dou, S.G. Hou and J.W. Meng 191

Dissipation of vibronic energy in a dimer
M. Schreiber, J. Sabczynski and V. May 195

Section 5. Hole burning and site-selective spectroscopy

Persistent IR hole burning in crystals and glasses
A.J. Sievers 199

Vibrational hole burning, energy transfer and anti-hole formation in the ordered and disordered CN^- sublattices of KCN and RbCN
M. Schrempel and F. Luty 205

Deuteration effect on photoinduced hydrogen motions in low temperature mixed molecular crystals
R. Casalegno, A. Corval, S. Astilean and H.P. Trommsdorff 211

Holography in frequency selective media II: controlling the diffraction efficiency
S. Bernet, B. Kohler, A. Rebane, A. Renn and U.P. Wild 215

Dynamics of adsorbed molecules in zeolites
F.W. Deeg, M. Ehrl, C. Bräuchle, R. Hoppe, G. Schulz-Ekloff and D. Wöhrle 219

High pressure effects on low temperature relaxation in solids
A. Ellervee, V.V. Hizhnyakov, J. Kikas, A. Laisaar and A. Suisalu 223

Spectral hole-burning measurements of optical dephasing between 2–300 K in Sm^{2+} doped substitutionally disordered microcrystals
K. Holliday, C. Wei, M. Croci and U.P. Wild 227

The dependence of hole width and depth on burning laser duration
S. Huang, S. Quan, W. Qin and J. Yu 231

Resonance fluorescence spectra of dye-doped polymers
Y. Kanematsu, J.S. Ahn and T. Kushida 235

Influence of concentration and energy transfer on permanent spectral hole widths
S. Kulikov and J.P. Galaup 239

Measurement of the Nd^{3+} ion pair interaction and Zeeman effect in $CsCdBr_3:Nd^{3+}$ using spectral hole burning
F. Ramaz, J.C. Vial and R.M. Macfarlane 244

New persistent photon-gated spectral hole-burning systems: metal–tetrabenzoporphyrin derivatives/ p-hydroxybenzaldhyde/PMMA
B. Luo, M. Tian, W. Li, S. Huang and J. Yu 247

Spectral hole burning in the hyperfine lines of $LaCl_3:Ho$
N.B. Manson, N. Rigby, B. Lou and J.P.D. Martin 251

Structural dynamics of proteins investigated by hole-burning spectroscopy
A. Kurita, R. Ohmukai and T. Kushida 255

Laser-induced filling and thermal filling of spectral holes in $BaFCl_{0.5}Br_{0.5}:Sm$
B. Zha, J. Yu, S. Mu, S. Huang and W. Qin 259

Zero field splittings in the ligand-centred luminescence of iridium(III) complexes in organic glasses. Persistent hole burning and resonant luminescence line narrowing in an external magnetic field
H. Riesen and E. Krausz 263

Transient hole burning with a diode laser: a study of bacteriochlorophyll-a on the microsecond time scale
R. Wannemacher, H.E. Smorenburg, Th. Schmidt and S. Völker 266

Photon-gated spectral hole burning by donor–acceptor electron transfer in poly(methylmethacrylate) copolymers containing covalently bound chloroanthracene and doped tetraphenylporphine
H. Suzuki, T. Nishi, T. Shimada and H. Hiratsuka 271

Process of persistent spectral hole burning in SrFCl:Sm
J. Zhang, S. Huang, W. Qin, D. Gao and J. Yu 275

Spectral properties of antenna pigment–protein complexes studied by hole-burning spectroscopy
M. Vacha, F. Adamec, M. Ambroz, J. Dian and J. Hala 279

Section 6. Semiconductors, quantum wells, excitons and polaritons

Interaction of one- and two-component plasma with optical phonons
W.E. Bron, G.O. Smith, T. Juhasz, S. Mehta, Y.B. Levinson, J. Kuhl and M. Klingenstein 283

Photoinduced intersubband absorption in n-doped quantum wells
Y. Garini, E. Cohen, A. Ron, E. Ehrenfreund, K.-K. Law, J.L. Merz and A.C. Gossard 288

Low power optical nonlinearities in GaAs/AlAs quantum wells produced by spatially separated electron–hole plasmas
P. Dawson 293

Picosecond accumulated photon echo in semi-insulating gallium arsenide
T. Bouma and J.I. Dijkhuis 299

Quantum beat spectroscopy: a new tool to study phase relaxation of excitons
V. Langer, H. Stolz and W. von der Osten 303

Coherent propagation and quantum beats of quadrupole polaritons in Cu_2O
D. Fröhlich, A. Kulik, B. Uebbing, A. Mysyrowicz, V. Langer, H. Stolz and W. von der Osten 309

Relaxation of polar excitons in a semiconductor
F. Vallée, F. Bogani and C. Flytzanis 313

Exciton dynamics in CdSe
K.-H. Pantke, J. Nørgaard, J. Erland and J.M. Hvam 317

Femtosecond hole-burning measurements in semiconductors
R.A. Taylor, C.W.W. Bradley, N. Mayhew, T.N. Thomas and J.F. Ryan 321

Imaging of excitonic transport in semiconductors
J.P. Wolfe 327

Exciton and free carrier dynamics under conditions of impurity photoionization in epitaxial GaAs
A.V. Akimov and V.G. Shofman 335

Exciton and free carrier dynamics in GaAs quantum wells: excitation density effects
D. Block, R. Romestain, P. Edel and S. Fränke 339

A new emission line in highly excited ZnSe
S. Fang, J. Yu and S. Huang 345

Resonant Raman scattering mediated by excitons in CdTe/CdZnTe multiple quantum wells
Y. Garini, H. Tuffigo, I. Brener, E. Cohen, N. Magnea and H. Mariette 348

Optical alignment and resonant raman scattering in $GaAs/Al_xGa_{1-x}As$ multiple quantum wells
A. Frommer, E. Cohen, A. Ron and L. Pfeiffer 351

Optical properties of the subband in ZnSe–ZnS strained-layer superlattices on transparent substrate CaF_2 under high excitation
Z.P. Guan, G.H. Fan, X.W. Fan and J.Q. Yu 355

Picosecond recombination dynamics at Ni-centres in ZnS and CdS
R. Heitz, A. Hoffmann and I. Broser 359

Dispersive and absorptive thermally induced optical bistability in ZnSe epilayers
G. Kudlek, J. Hollandt, N. Presser, J. Gutowski, K. Hingerl and H. Sitter 363

Polarization quantum beats between sublevels of the heavy exciton in GaAs/AlAs superlattices
P. Lavallard, C. Gourdon and R. Planel 367

Transient four-wave-mixing at the exciton resonance line of layered compound GaSe
F. Minami, A. Hasegawa, T. Kuroda and K. Inoue 371

Low temperature behaviour of a complex luminescence in Mn-doped GaP in the region of 1.7–1.8 eV
T. Monteiro and E. Pereira 375

Exciton dynamics in short-period $(GaAs)_n/(AlAs)_n$ superlattices with $n = 8$–15
T. Nakayama, F. Minami and K. Inoue 380

Thermalization of excitons in a GaAs/AlGaAs quantum well
D. Oberhauser, H. Kalt, H. Nickel, W. Schlapp and C. Klingshirn 383

Spectral and temporal features of photoluminescence of gallium arsenide quantum-wire crystals
K. Ogawa, K. Haraguchi, K. Hiruma, Y. Fujisaki, T. Katsuyama and G. Fasol 387

Electric-field induced phase modulation of quantum-well exciton polaritons in a guided-wave structure
K. Ogawa and T. Katsuyama 391

Luminescence at 1.96 eV in n-type GaP
E. Pereira and T. Monteiro 395

Nonradiative recombination processes of Ni-impurities in CdS and ZnS
L. Podlowski, R. Heitz, A. Hoffmann and I. Broser 401

Europium impurity as a recombination center in ZnSe lattice
K. Świątek and M. Godlewski 406

Luminescence and its dynamics of ZnSe/ZnS superlattices
W. Sack, D. Oberhauser, K.P. O'Donnell, P.J. Parbrook, P.J. Wright, B. Cockayne and C. Klingshirn 409

Nonlinear free-induction decay in semiconductors
K. Singh and P.K. Sen 412

Nonequilibrium exciton kinetics in Cu_2O
D. Snoke, D. Braun and M. Cardona 415

Nonequilibrium electron kinetics in GaAs
D. Snoke, W. Rühle and E. Bauser 419

Kinetics of exciton formation and relaxation in GaAs
J. Aaviksoo, I. Reimand, V.V. Rossin and V.V. Travnikov 423

Phonon-assisted exciton luminescence in a CdSe–ZnSe disordered superlattice
F. Yang, P.J. Parbrook, B. Henderson, K.P. O'Donnell, P.J. Wright and B. Cockayne 427

Exciton dynamics in GaAs/AlGaAs multiple quantum wells investigated by picosecond reflectivity and luminescence measurements
H. Zhang, E. Goovaerts, C. Van Hoof, D. Schoemaker and G. Borghs 431

Excitonic processes in highly excited ZnSe epilayers
N. Presser, G. Kudlek and J. Gutowski 435

Section 7. Energy relaxation and upconversion

Spin coupling and memory effects in the optical cycle of F_H centers involving electron–vibrational energy transfer
G. Baldacchini, U.M. Grassano and F. Luty 439

Fluorescence properties of Eu^{2+} ions in mixed fluoride crystals $M_{1-x}N_xF_2$ (M,N ≈ Ca,Sr,Ba)
C. Dujardin, B. Moine and C. Pedrini 444

The adiabatic model of electronic and vibronic structure of ^2E, $^2T_1$ and $^4T_2$ spin–orbit coupled states. Ruby fluorescence decay time under pressure
M. Grinberg and T. Orlikowski 447

Near-infrared luminescence of manganate(V)-doped phosphates and vanadates
M. Herren, T. Riedener, H.U. Güdel, C. Albrecht, U. Kaschuba and D. Reinen 452

Disorder and the non-radiative decay of Cr^{3+}-doped glasses
M. Yamaga, Y. Gao, K.P. O'Donnell and B. Henderson 457

Fano antiresonances of Cr^{3+} absorption spectra in fluoride glasses
A. Illarramendi, J. Fernández and R. Balda 461

Energy transfer in heavily-doped ruby
G.F. Imbusch 465

Vibronically induced intersystem crossing in pentacene in p-terphenyl and benzoic acid crystals
C. Kryschi, B. Wagner, W. Gorgas and D. Schmid 468

Upconversion fluorescence spectroscopy of Ho^{3+} dimer pairs in $CsCdBr_3$
M. Mujaji, G.D. Jones and R.W.G. Syme 473

Relaxation of the high lying states and coordination numbers of Nd^{3+} ions in fluorides
M.F. Joubert, B. Jacquier, C. Linares and R.M. Macfarlane 477

Photodarkening effect and optical nonlinearity in CdSSe-doped glasses
C. Jin, J. Yu, W. Qin, J. Zhao, F. Zhou, K. Dou, J. Liu and S. Huang 483

Energy transfer between F-type defects in CaO studied by optical-microwave double resonance spectroscopy
S. Kuzakov and M. Glasbeek 487

Non-adiabatic processes: non-orthogonal basis sets
M.J. Riley and H.-U. Güdel 490

Magnetic circularly polarized luminescence and electronic structures of europium(III) complexes of 2,2′-bipyridine-1,1′-dioxide and other ligands
M. Morita, T. Ozawa and T. Tsubomura 495

Excitation transfer dynamics and spectroscopic properties of the light-harvesting BChl *a* complex of *Prosthecochloris aestuarii*
F. van Mourik, R.R. Verwijst, J.M. Mulder and R. van Grondelle 499

Fluorescence lifetimes of Pr^{3+} centers in mixed CaF_2:SrF_2 crystals
Y.L. Khong, G.D. Jones and R.W.G. Syme 503

Localized and self-trapped exciton states in PbI_2–$PbBr_2$ mixed crystals
J. Takeda, T. Tayu, S. Saito, S. Kurita, T. Kuga and M. Matsuoka 507

The energy relaxation in intermediate state of second-order optical processes in dye molecules in solution
J. Watanabe and J. Nakahara 511

A Monte Carlo approach to the energy transfer processes
A. Zakrzewski 514

Defect formation by excited-state mechanisms in rare gas solids
I.Ya. Fugol', O.N. Grigorashchenko, A.N. Ogurtsov and E.V. Savchenko 517

Section 8. Non-linear effects and multiple resonance spectroscopy

Nonlinear optical spectra of excitons in polydiacetylene
S. Abe, M. Schreiber, W.P. Su and J. Yu 519

Sites and valencies of chromium in bismuth germanates: a magnetic circular dichroism and absorption study
B. Briat, V. Topa, C. Laulan Boudy and J.C. Launay 524

Multiphoton absorption in crystalline biphenylene
R. Bini, V.T. Bich, P.R. Salvi and G. Marconi 529

Absorptive optical bistability due to impurity nonlinearity in CdS : Cu
K. Dou, S.H. Huang, J.Q. Yu, C.M. Jin, J.L. Zhao, W.P. Qin, X.Y. Zhang, B.J. Yang and X.R. Xu 533

Multiresonance FWM as a probe of spectral broadening mechanisms: influence of excited state dynamics on resonance CARS processes
C. Ferrante, A. Speghini, A. Feis and R. Bozio 537

Measurement of the third-order non-resonant susceptibility of phtalate ion in solution and in a $C_6H_4COOH \cdot COOK$ crystal
P. Foggi, R. Bini, E. Castellucci and G. Marconi 541

Doping effects on the polymer-chain structure of poly(3-methylthiophene)
B. Hu, X. Zhang, X. Xu, W. Zhang and S. Dong 546

Non-linear effects in neodymium chlorides
N. Pelletier-Allard and R. Pelletier 549

Excitation avalanche in Ni^{2+}-doped $CsCdCl_3$
U. Oetliker, M.J. Riley, P.S. May and H.U. Güdel 553

Bound states dynamics in disordered N_2O crystals
J.-P. Lemaistre, B. Perrin, R. Ouillon and P. Ranson 557

The intensity of two-photon absorption in transition-metal ions: Ni^{2+} ions in octahedral symmetry
J. Sztucki 562

Author Index 565

Subject Index 573

Materials Index 579